



QQIJ2.E480764 Power Supplies, Specialty - Component

[Page Bottom](#)

Power Supplies, Specialty - Component

[See General Information for Power Supplies, Specialty - Component](#)

JIANGSU YUTAI ELECTRONICS CO LTD

E480764

No. 2 Xincheng Road

Xinhua Village

Chunjiang Town Xinbei District

Changzhou City, Jiangsu 213000 CHINA

Model No.	Rated Input			Max Output							
	Volts	Hz	SC	V	A	VA	OC	SP	EP	FC	GC
ABS10[*r]	700ac	-	-	1000dc	0.8	-	-	-	-	-	-
ABS2[*r]	140ac	-	-	200dc	0.8	-	-	-	-	-	-
ABS4[*r]	280ac	-	-	400dc	0.8	-	-	-	-	-	-
ABS6[*r]	420ac	-	-	600dc	0.8	-	-	-	-	-	-
ABS8[*r]	560ac	-	-	800dc	0.8	-	-	-	-	-	-
DB151[*r]	35ac	-	-	50dc	1.5	-	-	-	-	-	-
DB151S[*r]	35ac	-	-	50dc	1.5	-	-	-	-	-	-
DB152[*r]	70ac	-	-	100dc	1.5	-	-	-	-	-	-
DB152S[*r]	70ac	-	-	100dc	1.5	-	-	-	-	-	-
DB153[*r]	140ac	-	-	200dc	1.5	-	-	-	-	-	-
DB153S[*r]	140ac	-	-	200dc	1.5	-	-	-	-	-	-
DB154[*r]	280ac	-	-	400dc	1.5	-	-	-	-	-	-
DB154S[*r]	280ac	-	-	400dc	1.5	-	-	-	-	-	-
DB155[*r]	420ac	-	-	600dc	1.5	-	-	-	-	-	-
DB155S[*r]	420ac	-	-	600dc	1.5	-	-	-	-	-	-
DB156[*r]	560ac	-	-	800dc	1.5	-	-	-	-	-	-
DB156S[*r]	560ac	-	-	800dc	1.5	-	-	-	-	-	-
DB157[*r]	700ac	-	-	1000dc	1.5	-	-	-	-	-	-
DB157S[*r]	700ac	-	-	1000dc	1.5	-	-	-	-	-	-
MB05F[*r]	35ac	-	-	50dc	0.8	-	-	-	-	-	-
MB05M[*r]	35ac	-	-	50dc	0.8	-	-	-	-	-	-
MB05S[*r]	35ac	-	-	50dc	0.8	-	-	-	-	-	-
MB10F[*r]	700ac	-	-	1000dc	0.8	-	-	-	-	-	-
MB10M[*r]	700ac	-	-	1000dc	0.8	-	-	-	-	-	-
MB10S[*r]	700ac	-	-	1000dc	0.8	-	-	-	-	-	-
MB1F[*r]	70ac	-	-	100dc	0.8	-	-	-	-	-	-
MB1M[*r]	70ac	-	-	100dc	0.8	-	-	-	-	-	-

MB1S[*r]	70ac	-	-	100dc	0.8	-	-	-	-	-	-
MB2F[*r]	140ac	-	-	200dc	0.8	-	-	-	-	-	-
MB2M[*r]	140ac	-	-	200dc	0.8	-	-	-	-	-	-
MB2S[*r]	140ac	-	-	200dc	0.8	-	-	-	-	-	-
MB4F[*r]	280ac	-	-	400dc	0.8	-	-	-	-	-	-
MB4M[*r]	280ac	-	-	400dc	0.8	-	-	-	-	-	-
MB4S[*r]	280ac	-	-	400dc	0.8	-	-	-	-	-	-
MB6F[*r]	420ac	-	-	600dc	0.8	-	-	-	-	-	-
MB6M[*r]	420ac	-	-	600dc	0.8	-	-	-	-	-	-
MB6S[*r]	420ac	-	-	600dc	0.8	-	-	-	-	-	-
MB8F[*r]	560ac	-	-	800dc	0.8	-	-	-	-	-	-
MB8M[*r]	560ac	-	-	800dc	0.8	-	-	-	-	-	-
MB8S[*r]	560ac	-	-	800dc	0.8	-	-	-	-	-	-

[*r] - Output values are rated.

Marking: Company name and model designation.

Last Updated on 2015-11-30

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".



QQQX2.E480765 Electrically Isolated Semiconductor Devices - Component

If you notice a change to your QQQX2 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Electrically Isolated Semiconductor Devices - Component

[See General Information for Electrically Isolated Semiconductor Devices - Component](#)

JIANGSU YUTAI ELECTRONICS CO LTD

E480765

No. 2 Xincheng Road

Xinhua Village

Chunjiang Town Xinbei District

Changzhou City, Jiangsu 213000 CHINA

Bridge rectifiers, Model(s) GBU, followed by 4, 6, 8, 10, 15, 20, 25, followed by 005, 01, 02, 04, 06, 08 or 10.

Bridge rectifiers, Model(s) KBJ, followed by 4, 6, 8, 10, 15, 20, 25, followed by 005, 01, 02, 04, 06, 08 or 10.

Bridge rectifiers, Model(s) KBL, followed by 4, 6, 8, 10, 15, 20, 25, followed by 005, 01, 02, 04, 06, 08 or 10.

Bridge rectifiers, Model(s) KBP, followed by 2, 3, 4, followed by 005, 01, 02, 04, 06, 08 or 10.

Power Switching Semi-Conductors, Model(s) GBU followed by 4, 6, 8, 10, 15, 20, 25, followed by 005, 01, 02, 04, 06, 08 or 10.

Power Switching Semi-Conductors, Model(s) KBJ followed by 4, 6, 8, 10, 15, 20, 25, followed by 005, 01, 02, 04, 06, 08 or 10.

Power Switching Semi-Conductors, Model(s) KBL followed by 4, 6, 8, 10, 15, 20, 25, followed by 005, 01, 02, 04, 06, 08 or 10.

Power Switching Semi-Conductors, Model(s) KBP followed by 2, 3, 4, followed by 005, 01, 02, 04, 06, 08 or 10.

Marking: Company name and model designation.

[Last Updated](#) on 2017-07-07

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".